



॥ सा विद्या या विमुक्तये ॥
स्वामी रामानंद तीर्थ मराठवाडा विद्यापीठ, नांदेड
'ज्ञानतीर्थ', विष्णुपुरी, नांदेड - ४३१ ६०६ (महाराष्ट्र राज्य) भारत
SWAMI RAMANAND TEERTH MARATHWADA UNIVERSITY, NANDED
'Dnyanteerth', Vishnupuri, Nanded - 431 606 (Maharashtra State) INDIA
Established on 17th September, 1994, Recognized By the UGC U/s 2(f) and 12(B), NAAC Re-accredited with 'B++' grade

Fax : (02462) 215572

ESTATE SECTION

website: srtmun.ac.in

Phone: (02462) 215246

Email: estate@srtmun.ac.in

Ref: Estate/Q.No.97-2025-26/ OPS, MIC System, Camera Lens & Trolley/ 475

Date: 03/02/2026

Quotation No.97-2025-26 Purchase of OPS, MIC System, Camera Lens & Trolley

Our University is interested to Purchase of OPS, MIC System, Camera Lens & Trolley for Director, IQAC, SRTMUN. You are requested to send your most competitive rate in Appendix-A subject to below mentioned Objectives, Terms & Conditions in two bid system.

The Quotation in sealed envelope should be submit on or before →

10/02/2026

Terms & Conditions:

- 1) Rate Quoted should be F.O.R. at SRTM University, Nanded
- 2) The Rate quote in given format. (Appendix 'A')
- 3) Payment will be made after satisfactory delivery & installation as per Purchase order.
- 4) The Validity period for the rates will be 180 days from the date of opening of the quotations.
- 5) The University reserves the right to accept any quotation or reject any / all quotations and to order any of the items in any quantity without assigning any reason.
- 6) Supplier should submit their quotation as per nature of work mentioned in Shop Act unless quotation will not be considered.

A) Technical envelope (No.1) contains following documents

- 1) Index
- 2) Latest shop Acts Acts/Company Acts,
- 3) GST No Certificate along with Current GST return copy,
- 4) PAN Card
- 5) Aadhar Card (PAN card link with Aadhar Card will be must)
- 6) Authorization letter from principle company/manufacturer/ Distributor. (If Applicable)

B) financial envelope (No.2) contains only price in Appendix- 'A'

- 7) Delivery period within 15 days from purchase order.

Finance & Accounts Officer

Copy to:

- 1) Senior Programmer, SRTM University, Nanded, Please Publish the said quotation on our university website.
- 2) Notice Board, Administrative Building/Estate Deptt., SRTM University, Nanded.

Index (Attach with document in Involape No.01)

Sr.No	Particular	Number	Page No.
01	Shop Act		
02	GST Registration		
03	GST Return Copy		
04	PAN Card		
05	Aadhar Card		
06	Other If Any		
	i)		
	ii)		
	iii)		

Bidder Signature and Stamp

Appendix-A

Sr. No.	Particular & Technical Specification	Name of the Manufacturer	Qty.	Rate per Qty	GST & Other Charges if any	Total Amount
1	OPS: OPS slot compatible with Interactive Display (no external connections required) Intel Core i5 (10th Gen) processor 8 GB RAM 256 GB SSD storage Supports smooth 4K video playback Display output: 1 × DisplayPort, 1 × HDMI (multi-display support) USB ports: 2 × USB 2.0, 4 × USB 3.0 Network: RJ-45 LAN, inbuilt Wi-Fi (dual antennas) Bluetooth 4.0 or above Audio: 3.5 mm Mic/Line-in & Line-out Integrated RS-232 control Warranty: 1 year		03 Nos.			
2	MIC system: Bluetooth conference speakerphone Bluetooth 5.0 or above Compatible with iOS, Android & Windows Connection modes: Bluetooth / USB / Dongle 6-mic array with ENC, AEC, ANS & de-reverberation Full-duplex audio with far-field voice pickup Speaker: 40 mm, 3W Frequency response: 20 Hz – 20 kHz Battery: 5200 mAh Charging: Type-C (5V/2A, ~3 hrs) Operating range: ≥10 meters Suitable for ~20 sq. meter meeting room		01 No.			
3	Camera Lens for Sony alpha3: Focal length: 28–70 mm (APS-C eq:42–105 mm) • Max aperture: f/3.5–5.6, min aperture:f/22–36 • 8 groups / 9 elements, 7-blade circular aperture • Optical SteadyShot, filter diameter:55 mm • Min. focus distance: 0.3–0.45 m, weight: 295 g		01 No.			

4	Trolley for interactive panel: <ul style="list-style-type: none"> • Premium interactive panel floor stand • Suitable for 70"-120" displays • Heavy-duty aluminum & steel construction • Load capacity: up to 150 kg • VESA compatible up to 1200 × 800 • Surface finish: anodized aluminum (grey & matte black) • Caster-based mobile stand with cable management • Single-screen support, fixed height • Strength tested (4× safety) with 10° slope stability • Overall dimensions: approx. 1509 × 1000 × 2000 mm 	01 No.		
---	---	-----------	--	--

GST No.

Signature & Seal of suppliers